Thin Solid Films, 164 (1988) v–xii

Contents

INTERFACES

Metal film barriers against the evaporation of volatile components during the heat treatment of metal–compound semiconductor contacts 1
I. Mojzes, R. Veresegyházy, B. Kovacs, B. Pécz (Budapest, Hungary) and V. Malina (Prague, Czechoslovakia)

Quantitative interface roughness studies of copper oxide on copper 5
A. Roos, M. Bergkvist, C.-G. Ribbing (Uppsala, Sweden) and J. M. Bennett (China Lake, CA, U.S.A.)

Characterization of chemically modified CdTe surfaces 13
D. N. Bose, S. Basu and K. C. Mandal (Kharagpur, India)

Fermi level pinning and chemical interactions at metal/metal organic CVD grown GaAs interfaces: Schottky barrier height. 21
V. J. Rao, S. Phulkar and A. P. B. Sinha (Pune, India)

ANALYTICAL AND CHARACTERIZATION TECHNIQUES

Deep core level electron energy loss studies on a silicon surface using slow electron energy loss spectroscopy 27
J. K. N. Sharma, B. R. Chakraborty and S. M. Shivaprasad (New Delhi, India)

A comparative study of thin film diffusion measurements in metallic glasses by Rutherford backscattering spectrometry and Auger electron spectroscopy . . 33
S. K. Sharma, S. Banerjee, Kuldeep and A. K. Jain (Bombay, India)

Study of surface segregation of simultaneously evaporated Mn–Ag alloy films by means of ion scattering spectroscopy and Auger electron spectroscopy. . . 37
T. Hanawa (Suita, Japan), I. Katayama (Asahiku, Japan), F. Shoji and K. Oura (Suita, Japan)

Characterization of thin films and materials used in semiconductor technology by spectroscopic ellipsometry. 43
F. Ferrieu (Meylan, France) and J. H. Lecat (Bois Colombes, France)

Study of microstructure of amorphous Ge–Se films using spectroscopic ellipsometry 51
S. Kumar, D. K. Pandya and K. L. Chopra (New Delhi, India)

The polarizability of truncated spheres and oblate spheroids on a substrate: comparison with experimental results 57
M. M. Wind, P. A. Bobbert, J. Vlieger and D. Bedeaux (Leiden, The Netherlands)

Theory of light reflection from a substrate sparsely seeded with spheres: comparison with an ellipsometric experiment 63
P. A. Bobbert, J. Vlieger (Leiden, The Netherlands) and R. Greef (Southampton, U.K.)

Experimental electronic density of states of tin selenide measured on thin films 69
A. Bennouna (Marrakech, Morocco), M. Priol and A. Seignac (Rennes, France)

X-ray emission spectroscopy study of substoichiometric $Bi_{2-x}Sb_xS_3$ system . 75
B. B. Nayak, B. S. Acharya and S. K. Singh (Bhubaneswar, India)

The temperature dependence of superlattice spots in electron diffraction patterns of thin layers of Ag_xTiS_2 formed by electrointercalation 81
O. S. Rajora and A. E. Curzon (Burnaby, British Columbia, Canada)

Structural characterization of thin films of cadmium telluride 85
S. Saha, U. Pal, B. K. Samantaray, A. K. Chaudhuri and H. D. Banerjee (Kharagpur, India)

X-ray studies of thermal vibrations of thin lead films 91
G. S. Narayana and N. K. Misra (Kharagpur, India)

Characterization of $Ti_{1-x}B_x$ films deposited by a cosputtering method 95
T. Shikama (Oarai, Japan), U. Sakai, M. Fujitsuka, Y. Yamauchi, H. Shinno and M. Okada (Niiharigun, Japan)

EMERGING MATERIALS

Investigations of r.f.-plasma-deposited diamond-like carbon coatings 103
R. S. Yalamanchi and G. K. M. Thutupalli (Bangalore, India)

X-ray characterization of epitaxially grown dilute magnetic semiconductors $Zn_{1-x}Fe_xSe$ $(0 \leqslant x \leqslant 0.22)$ 111
S. B. Qadri, B. T. Jonker, J. J. Krebs and G. A. Prinz (Washington, DC, U.S.A.)

Structural and electrical properties of screen-printed thick films of $YBa_2Cu_3O_{7-x}$ superconductors 115
D. Bhattacharya, C. K. Maiti, P. Pramanik, T. K. Dey, S. K. Ghatak, K. L. Chopra (Kharagpur, India), S. C. Kashyap, D. K. Pandya and B. Gogoi (New Delhi, India)

Superconductivity behaviour in screen-printed $YBa_2Cu_3O_7$ films 119
U. V. Varadaraju, G. V. Subba Rao, K. D. Chandrasekaran and A. Baradarajan (Madras, India)

BASIC PROPERTIES

Electromigration in thin solid films 123
J. J. B. Prasad and K. V. Reddy (Madras, India)

Investigation of sliding contact resistance of Ni–Cr/Au and Ni–Cr/Au–SiO_2 thin resistive films 129
A. Banovec and A. Zalar (Ljubljana, Yugoslavia)

Study of boron coatings 135
V. C. George, A. K. Dua and R. P. Agarwala (Bombay, India)

Size-dependent quantum and classical transport in metallic thin films 141
G. Govindaraj (Madras, India) and V. Devanathan (Pondicherry, India)

Adhesion of thin metallic films to non-metallic substrates 147
S. A. Varchenya, A. Simanovskis and S. V. Stolyarova (Riga, U.S.S.R.)

Measurement of the adhesion of silver films to oxidized silicon 153
A. Kikuchi, S. Baba and A. Kinbara (Tokyo, Japan)

Simultaneous measurement of coating thickness and deposition stress during thermal spraying 157
S. Kuroda, T. Fukushima and S. Kitahara (Tokyo, Japan)

Resistivity anisotropy of nickel films induced by oblique incidence sputter deposition 165
K. Kuwahara (Hiroshima, Japan) and S. Shinzato (Okinawa, Japan)

Internal stress and adhesion of r.f.-sputtered MgO films on glass substrates . . 169
S. Baba, A. Kinbara (Tokyo, Japan), T. Kajiwara and K. Watanabe (Kamakura, Japan)

Electrical properties of thulium oxide thin films 175
T. Zdanowicz (Wrocław, Poland)

The field effect of the electrical conductance of discontinuous thin metal films 183
K. Uozumi (Setagaya, Japan)

Electrical conduction in thin film diamond 187
K. Srikanth, S. Ashok, A. Badzian, T. Badzian and R. Messier (University Park, PA, U.S.A.)

Determination of thickness uniformity and magnetic bubble parameters for garnet thin films by Faraday rotation 191
S. Chaklanobis, D. C. Khan (Kanpur, India) and B. U. M. Rao (Bombay, India)

AMORPHOUS MATERIALS

Defect model in thin dielectric films 195
T. K. Lin and V. K. Agarwal (Lubbock, TX, U.S.A.)

A comparison between amorphous Ni–Zr alloys formed by solid state reaction and by codeposition 199
G. V. Chandrashekhar, D. Gupta, S. Newcomb, F. H. M. Spit and K. N. Tu (Yorktown Heights, NY, U.S.A.)

Formation of stoichiometric InSe compound films 207
R. Rousina and G. K. Shivakumar (Gujarat, India)

Hydrogenated amorphous Si–C alloy prepared by chemical vapour deposition 213
A. Yoshida, Y. Yamada, T. Nakamura and H. Yonezu (Toyohashi, Japan)

An interesting unconventional photoinduced change in the dark conductivity of a-Si:F:H 217
S. C. De, G. Ganguly, S. Ray and A. K. Barua (Calcutta, India)

Growth and properties of glow-discharge hydrogenated amorphous silicon–carbon alloys from silane–propane mixtures 221
A. Qayyum, J. I. B. Wilson, K. Ibrahim, S. K. Al-Sabbagh and U. Eicker (Edinburgh, U.K.)

Light-induced changes in magnetron-sputtered hydrogenated amorphous silicon films 227
D. Das, R. Banerjee, A. K. Batabyal and A. K. Barua (Calcutta, India)

R.f. power dependence of the Staebler–Wronski effect 233
P. K. Acharya, L. K. Malhotra and K. L. Chopra (New Delhi, India)

Stability of dangling bonds in amorphous hydrogenated silicon 239
S. Zafar and E. A. Schiff (Syracuse, NY, U.S.A.)

IR spectroscopy of a-$Si_{1-x}Sn_x$:H films 243
R. S. Katiyar, O. Resto, R. Perez, M. Gomez and Z. Weisz (Rio Piedras, PR, U.S.A.)

PHOTOVOLTAICS

Electrical properties of pure, doped and sensitized organic dye films 249
S. C. Mathur, D. C. Dube (New Delhi, India) and G. D. Sharma (Jodhpur, India)

A novel electroplating technique for cadmium telluride films in non-aqueous medium 255
R. B. Gore and R. K. Pandey (Bhopal, India)

Structural properties of SnO_2:F films deposited by spray pyrolysis technique 261
C. Agashe, B. R. Marathe, M. G. Tackwale and V. G. Bhide (Pune, India)

Application of spectroscopic ellipsometry to study the effect of surface treatments on cadmium telluride films 265
B. R. Mehta, S. Kumar, K. Singh and K. L. Chopra (New Delhi, India)

Characterization of p-$CuInSe_2$ films for photovoltaics grown by a chemical deposition technique 269
J. C. Garg, R. P. Sharma and K. C. Sharma (Jaipur, India)

Effect of applied external magnetic field on the relationship between the arrangement of the substrate and the resistivity of aluminium-doped ZnO thin films prepared by r.f. magnetron sputtering 275
T. Minami, H. Nanto, H. Sato and S. Takata (Kanazawa, Japan)

D.c. electrical properties of evaporated thin films of CdTe 281
R. D. Gould and C. J. Bowler (Keele, U.K.)

Exciton diffusion in thin Cu_2O films 289
E. Fortin and E. Tsélépis (Ottawa, Ontario, Canada)

Photovoltaic properties of ZnO/p-CdTe thin film heterojunctions 295
M. S. Tomar (Duluth, MN, U.S.A.)

Physical properties of II–VI binary and multicomponent compound films and heterostructures fabricated by chemical vapour deposition 301
T. M. Razykov (Tashkent, U.S.S.R.)

Plasma enhanced chemical vapour deposition silicon nitride for micro-electronic applications 309
M. Gupta, V. K. Rathi, S. P. Singh, O. P. Agnihotri and K. S. Chari (New Delhi, India)

The effects of temperature and bias illumination on the spectral sensitivity of CdS–Cu_xS heterojunctions 313
P. C. Pande, G. J. Russell and J. Woods (Durham, U.K.)

Stress effect in junctions of n-type microcrystalline Si:H with p-type silicon . . 321
M. Utsunomiya (Shiga, Japan) and A. Yoshida (Toyohashi, Japan)

THIN FILM DEVICES

Application of tantalum based thin film devices in active matrix addressed liquid crystal displays. 327
S. A. Agnihotry, K. K. Saini and S. Chandra (New Delhi, India)

Structure, optical and electro-optical properties of polycrystalline WO_3 and MoO_3 thin films prepared by chemical vapour deposition 333
A. Donnadieu, D. Davazoglou and A. Abdellaoui (Montpellier, France)

Electrical properties of ferroelectric thin film KNO_3 memory devices 339
A. Kulkarni, G. Rohrer, S. Narayan and L. McMillan (Houghton, MI, U.S.A.)

Thin film solid state cells using $Rb_4Cu_{16}I_7Cl_{13}$ electrolyte and their limitations 345
R. N. Prasad, N. M. Abhyankar, S. D. Phadke and R. N. Karekar (Pune, India)

Switching behaviour of plasma-polymerized thin polyfuran films. 353
P. K. Abraham and K. Sathianandan (Cochin, India)

Fabrication and characterization of solid state image intensifier panels 357
P. K. C. Pillai, N. Shroff, A. Singh and R. Kumar (New Delhi, India)

Low-voltage-driven ZnS:Mn thin film electroluminescent devices using insulating dielectric ceramic sheets 363
H. Nanto, T. Minami, S. Murakami and S. Takata (Kanazawa, Japan)

Electrochromism in polycrystalline WO_3 thin films prepared by chemical vapour deposition at high temperature. 369
D. Davazoglou and A. Donnadieu (Montpellier, France)

Medium optical index material tailoring by plasma-enhanced chemical vapour deposition. 375
H. Zorc and R. Sinovčević (Zagreb, Yugoslavia)

Reactively sputtered ZnO:Al films for energy-efficient windows 381
Z.-C. Jin, I. Hamberg, C. G. Granqvist (Gothenburg, Sweden), B. E. Sernelius and K.-F. Berggren (Linköping, Sweden)

Adjustable selective profiles using cermet absorbing films 387
C. Sella (Meudon, France) and J. Lafait (Paris, France)

Modelling magneto-optical thin film media for optical data storage 391
K. Balasubramanian, A. S. Marathay and H. A. Macleod (Tucson, AZ, U.S.A.)

Structure and properties of W/C and Ni/C multilayer films 405
C. Sella, K. Youn (Meudon, France), R. Barchewitz, M. Arbaoui (Paris, France) and R. Krishnan (Meudon, France)

Bi-stable photoconductive–electroluminescent type of light amplifier with optical feedback 411
Z. Porada and E. Schabowska-Osiowska (Cracow, Poland)

MICROELECTRONIC APPLICATIONS

Failure mechanisms of TiN thin film diffusion barriers 417
N. Kumar, K. Pourrezaei (Philadelphia, PA, U.S.A.), B. Lee and E. C. Douglas (Somerville, NJ, U.S.A.)

Synthesis of buried silicon nitride layers by rapid thermal annealing 429
C. M. S. Rauthan, A. Chand, S. Chandra and G. Bose (New Delhi, India)

New models for ohmic contacts to GaAs 435
A. K. Kulkarni and C. Lai (Houghton, MI, U.S.A.)

Properties of sputtered nitride semiconductors 441
T. L. Tansley, R. J. Egan (North Ryde, New South Wales, Australia) and E. C. Horrigan (Lindfield, New South Wales, Australia)

Molybdenum disilicide formation by ion beam mixing and rapid thermal annealing of Mo/Si(111) 449
R. S. Rastogi, V. D. Vankar and K. L. Chopra (New Delhi, India)

D.c. conductivity of highly disordered NiCr–O thin films 455
H. Dintner, H. Bartuch (Jena, G.D.R.), A. Heinrich (Dresden, G.D.R.), F. Thrum (Jena, G.D.R.), Ch. Gladun (Dresden, G.D.R.) and G.Holzhuter (Rostock, G.D.R.)

Effect of densification temperature on the Fourier transform infrared analysis of borophosphosilicate glass films. 461
B. N. Mehrotra (Santa Clara, CA, U.S.A.)

A comparative study of silver photodoping in chalcogenide films by means of extended X-ray absorption fine structure and kinetics measurements 467
J. M. Oldale, J. Rennie and S. R. Elliott (Cambridge, U.K.)

Selective deposition of thin films by substrate argon ion bombardment 475
C. Nender, S. Berg and G. Gelin (Uppsala, Sweden)

Time-resolved study of thin nickel silicide layer growth at the nickel film–Si(100) interface 481
P. K. John, H. Frohlich, A. C. Rastogi and B. Y. Tong (London, Ontario, Canada)

Electrical characteristics of PtSi formed by incoherent light annealing 487
A. S. Pedersen (Lyngby, Denmark), J. Chevallier and A. N. Larsen (Aarhus, Denmark)

Treatment of WTi contacts on silicon with low energy argon ions 493
M. Milosavljević, N. Bibić (Belgrade, Yugoslavia), I. H. Wilson (Guildford, U.K.) and D. Peruško (Belgrade, Yugoslavia)

Properties of selective low pressure chemically vapor deposited tungsten films produced by hydrogen reduction in a cold wall system 501
R. V. Joshi, D. A. Smith, S. Basavaiah and T. Lin (Yorktown Heights, NY, U.S.A.)

AUTHOR INDEX 509